## **Experience Centers:**

Bsh Household Appliances Manufacturing Pvt. Ltd.

Arena House, 2<sup>nd</sup> Floor, Main Building, Plot No. 103, Road No. 12, MIDC, Andheri, Mumbai - 400 093.

#### Bangalore:

No - 8, GF, 15th Cross, 6th Phase, JP Nagar, Bangalore - 560 078.

NIIT, Tapasya Building, 2<sup>nd</sup> Floor, Plot No - 5, EFGH, Sector 126, Greater Noida, Expressway, Noida - 201 313, UP.

Kolkata:

809-810, Adventz Infinity,

Sector 5, Salt Lake,

Kolkata - 700 091.

#### Chennai:

4th Floor, South Towers,

KRM Plaza, Harrington Road, Chetpet, Chennai - 600 031.

### www.bosch-home.in

BSH Household appliances reserves the right to change specifications without notice in the interest of technological progress. While every effort has been made to ensure that all specifications and descriptions are correct at the time of going to press, this brochure should not be regarded as an infallible guide for a particular product. Due to variation in the reproduction process, colors of products may vary slightly from those depicted. We recommend a visit to a Bosch dealer to confirm that specifications and colors are to your own satisfaction. All rights reserved. No part of this publication may be reproduced in any form by any means without the permission of BSH Household Appliances Manufacturing Pvt. Ltd. (E.&O.E).










/BoschHomeIn

### **Warranty Period:**

Hobs / Chimney / Ovens / Microwave / Dishwashers: 24 months from the date of purchase. 60 months from the date of purchase on the blower motor of DWB098G50I, DWB098D50I, DWG098D50I, DWB068G50I, DWB068D50I, DWG068D50I, DIB128G50I, DIB098G50I, DIG098G50I, DWK098G60I, DWB068G60I, DWB098G60I, DWB098 DWH098D601, DWG068D601, DWG098D601.






## Integrates true taste.

Introducing the new Bosch built-in range with black elements for the perfect design match.

100 Years






## **Bosch - A brand you can trust.**


"I have always acted according to the principle that it is better to lose money than trust. The integrity of my promises, the belief in the value of my products and in my word of honour have always had a higher priority to me than a transitory profit."

Robert Bosch, 1921

## Bosch in every detail. German Engineered.

Every detail of every appliance has been carefully designed, produced and tested by our engineers to fully satisfy the highest standards in quality, performance and convenience. The result is cutting-edge technology, timeless design and remarkable ease of use, reducing the workload for you in the kitchen and consistently delivering perfect results.



















## Bosch because...

## Perfect results.

We at Bosch, always believe in achieving perfect results by exceeding customer expectations and setting new standards with our superior technology. While the PerfectBake plus feature with artificial intelligence in Built-in oven made baking super simple, our new Brass Burner hob provides faster cooking with equal heat distribution leading to the perfect dish.

## Precision with effortless cleaning.

Our stylish beveled glass and durable glass finish make cleaning just a matter of a single swipe to deliver complete ease of utility. Our chimney have been engineered with Self Clean Technology, which allows for the self-cleaning of the chimney's interiors at one click and the ovens too come equipped with multiple cleaning functions like Pyrolytic cleaning and Eco-clean.

## The power of German design.

The simple and timeless German design ensures that your kitchen will always be your favourite place in the house. This design approach of Bosch home appliances has won over 200 International design awards in the past 5 years.

**Awards** 













## Efficiency of the brand.


For over 130 years, we are building strong on Robert Bosch's core principles of providing exceptional customer service by manufacturing superior quality products with highly-skilled resources. At Bosch, right from our product design to our relationship management, everything is engineered around you.

### Catering to support our customers.

Our customers are the center of our foundation and we pride ourselves in delivering the highest levels of satisfaction and happiness to our consumers. Which is why, we've trained our engineers to deliver top-class installation with minimum intrusion. Additionally, there is post purchase service support and one can also avail warranty schemes to cover product life.







## True kitchen art.

Discover a seamless design that integrates perfectly into the kitchen environment. With a stainless steel look and the Digital Control Ring engraved in the glass – a design element found in the entire Series 8 oven range. For full cooking ease, the range also comes with a brilliant TFT Touch Display with clear texts and images that provide easy navigation for the various settings.



## **Thin Handle**

A thin stainless steel-look handle with an embossed Bosch logo highlights the elegant design.



## **Digital Control Ring**

With the Digital Control Ring, you can adjust your oven settings intuitively. Just move your finger across the ring engraved in the glass on the control panel and confirm the desired setting.



## **TFT Touch Display**

Additionally, you are supported by a high-resolution TFT Touch Display: clear, vivid images and info texts take you through each step as you navigate the program options. Thus, you enjoy a complete overview and full control over your appliance's functions.

## In the mood for healthy food.

## **Steam Function Plus**

Vegetables cooked with steam stay crunchy and retain not only their natural aroma, but also vitamins and nutrients. And because the new Steam Function Plus steams at a temperature of up to 120°C, your dishes are done faster and retain even more of their vitamins and nutrients. For example: potatoes are steamed up to 35% faster, whereas green beans and carrots are ready even up to 50% quicker\*!

\*Steam Function Plus compared to 100°C steam, BSH laboratory test.



## More vitamins and nutrients

Steaming broccoli at a temperature over 100°C, retains up to 26% more nutrients and up to 8% more Vitamin C than conventional cooking methods\*\*. Whereas steaming red pepper at a temperature over 100°C retains up to 12% more Vitamin C!\*\* They also keep their full, natural flavor, so you can go easy on the extra seasoning and use much less salt when cooking. In short – healthy food has never tasted better.

\*\*Steam Function Plus compared to cooking in boiled water, University of Hohenheim test results 5/2022.

# The perfect ingredient for perfect cooking results: steam.

What could be nicer than the fragrance of fresh baked bread – with a perfect crust on the outside and still fluffy on the inside? Or a perfect Sunday roast, juicy on the inside and crisp on the outside? It's easy when you use steam functions of our ovens.



## **Added Steam**

By adding the right dose of steam precisely when it's needed, the Added Steam function gives your food mouth-watering texture, inside and out. It's ideal for baking bread, giving your loaves a deliciously crispy crust while keeping the inside fluffy. You can also use it for superb results when roasting and re-heating. Simply fill up the water container and your oven does the rest.



### **Perfect Steam**

Do you want to bake bread or roast chicken with Added Steam for more crisp and moisture? Thanks to Perfect Steam, precise sensor constantly measures the oxygen, calculates the humidity level in the oven cavity and automatically regulates the steam amount. As soon as you select the Added Steam function or a program with steam support, the sensor is activated and regulates the perfect amount of steam. Perfect Steam does it all automatically.



### **Steam Boost Function**

Home-baked bread tastes best. And by adding as much steam into the oven as possible in a very short time during baking, it's even easier to succeed. Just activate the Steam Boost Function. As soon as the steam is ready, you can inject individual shots of steam as needed – for bread that's crisp outside and nice and fluffy inside.



## **GRANDMA'S SECRETS**

### Readying the baking pan

Before baking, it's advised to grease the baking pan generously. It's done so that the food comes out easily. The secret here is that you must use parchment paper to ready your pans instead of going the traditional way.

## a growing amount of anonymized data from numerous baking and roasting processes. The more and more frequently households use the ovens equipped with Artificial Intelligence the more precisely your oven makes the prediction about the exact end time

of your cooking process. Home Connect and Artificial Intelligence support features like PerfectBake Plus or the PerfectRoast Plus - and thanks to that you have the entire experience of thousands of cooks around the world at your fingertips. For perfect results today. And even better ones tomorrow.

Please note that this service is only available in English and for the appliances installed in cities - Mumbai, Delhi NCR, Bangalore, Kolkata, Hyderabad, Chennai, Ahmedabad, Pune and Jaipui



## **PerfectBake Plus**

Never before has baking been so simple. Select a dish, like "cake in the tin" or "Muffins", press Start and your oven takes over from there. The best part: thanks to Artificial Intelligence and the Baking Sensor measuring the humidity inside your oven you can see how many minutes are left until your dish is ready to serve. To enjoy PerfectBake Plus, just connect your oven to your registered Home Connect account.



## Timing is everything.

For roasting, whole fish and chicken, timing is everything. PerfectRoast Plus takes the guesswork out of knowing when your dishes are perfectly tender. The meat probe uses three measuring points to check the temperature of your dish. When the selected internal core temperature is reached, your dish is roasted to perfection.



## **PerfectRoast Plus**

Thanks to Artificial Intelligence, the oven can even tell you how many minutes are left until your dish is ready to serve, so that you can time your meals to perfection. To enjoy PerfectRoast Plus, just connect your oven to your registered Home Connect account.

In addition, the Meat Probe Assistant supports you when you don't know the best oven setting for achieving your preferred degree of doneness. If you want your beef tenderloin to be "medium rare", for example, the Assistant will recommend the right core temperature.



## **GRANDMA'S SECRETS**

## Add more of the baking soda

If the recipe required you to use half teaspoon of baking soda. This will bring the recipe into the correct proportion, although you may end up with more of the dessert than you anticipated. Use this method only if you're sure of the exact quantity of extra baking soda that you added.

# Turns every dish into a delight. And every location into a kitchen.

## **Home Connect app**

Want to unlock the full potential of your appliance? Just connect your oven to your registered Home Connect account (www.home-connect.com) to control it from anywhere you want, whenever you want, the way you want. Benefit from exiting possibilities offered by our numerous ecosystem partners. Start and stop cooking functions, change settings and manage favourites – all while away from your kitchen. Settings are synced between the app and the oven. You'll be informed via push notifications as soon as the programme is done. Software downloads keep your oven up to date.

## **Remote Control**

"Did I leave the oven on?" will no longer cross your mind. Introducing ovens with the Home Connect Remote Control function for your peace of mind. Check on your oven's status, and conveniently control and monitor your oven remotely via the Home Connect app in your phone.

## **Remote Diagnostics**

Remote Diagnostics is here to solve your home appliance troubles at the touch of a button. Call our Hotline and book a remote diagnosis appointment for your connected appliance via the Internet. The Bosch customer service then remotely screens your appliance, locates the problem area and gives you clear advice. In case the problem persists, a Bosch service technician, equipped with all the necessary parts will pay you a visit.

### **Oven Assistant**

Oven Assistant helps you choose the right programme for your dish. Mention the dish you want to prepare via the Home Connect app or your Amazon Alexa voice control device and your oven will suggest suitable settings or programmes and switch directly to your selection.





# At last, someone in the house who enjoys cleaning up.

Anyone who has ever cleaned an oven by hand knows how exhausting and time-consuming it can be. However, this chore is a thing of the past, thanks to our pyrolytic self-cleaning function. You won't waste a minute on cleaning, leaving you more time to enjoy cooking.

## Pyrolytic self-cleaning: the oven that cleans itself

During the pyrolytic cleaning function, the oven heats up to 480°C to burn off grease and food residue. This means you never have to clean your oven again.

Simply follow these 3 steps

- 1. Activate the pyrolytic cleaning function.
- 2. Choose from three different cleaning levels, depending on the degree of residue that has accumulated.
- 3. Once the program is finished, wipe off the thin layer of ash in the base of the oven.



While your dishes bake or roast, the special direct coating of microfine ceramic particles on the oven cavity walls absorbs grease and residue and breaks them down through oxidation.

Simply follow the below steps and reduce your cleaning time significantly\*:

- 1. Activate the EcoClean direct cleaning program.
- 2. Once completed, clean remaining surfaces that don't have the special coating.
- 3. Wipe the base of the oven and inside of the glass door.

The direct coating also regenerates every time you heat the oven and continues to do so for the entire service life of the appliance.

## Universal pan and baking tray with ceramic non-stick coating

In addition to the classic universal pan, Bosch is now offering a new universal pan and baking tray for Series 6, 4 and 2 ovens with a ceramic non-stick coating. This special non-stick coating makes the surface easy to clean. And the ceramic coating has another advantage: You no longer need to use parchment paper or to grease the tray, which makes baking, roasting and cleaning much easier.


### **Cleaning Assistance**

Is your oven lightly soiled and in need of a quick cleaning? Just place approximately 400 ml of water with a drop of liquid detergent in the bottom of the oven cavity and select the proper cleaning programme. The environmentally friendly cleaning system softens baked-on residue, making it much easier to wipe off afterwards.

## Easy-clean door

Most Bosch oven doors are extremely easy and time-saving to clean. Whereas the cover is often bolted onto the actual oven door, on selected models you can easily release the right and left sides with the touch of a finger and remove the pane for cleaning. The chore of removing the screws is gone forever.













Ovens | Heating Functions

## Because there's hot and then there's hot.

Baking and roasting to perfection require the precision of temperature and the appropriate heating functions. Bosch's ovens have been designed to give you a range of heating functions, from 4D Hotair to Hotair Eco, to suit all your cooking needs.

#### Function\*

#### Recommended for



#### **Steam Function Plus**

Gently steam vegetables, meat, fish and cereal; juice fruit; blanch food. In order to reduce the cooking time, food can be steamed at above 100 °C, up to 120 °C.

Steamed food items (Idli, Dhokla, Steamed Veggies, etc.)





Cook until crispy, on one level with little fat. Especially suitable for food that is usually fried in oil, e.g. chips. The fan circulates heat from the grill element around the food at high speed. The exhaust air is extracted more intensively from the cooking compartment.

Fried food items (Chips)





## 4D Hotair

This feature of our oven evenly distributes heat from the ring heating element in the back panel to the cooking compartment in the front.

Cakes and small baked items (Muffins, biscuits)





#### **Hotair Eco**

This feature evenly distributes the energy optimized heat from the ring heating element in the back wall to the cooking compartment in the front. Thus, allowing you to cook selected dishes on one level without having to preheat the oven.

Cakes and small haked items (Muffins, biscuits)





#### Top and Bottom heat

This feature ensures that even heat is emitted both from the top and bottom of the oven. Making it ideal for traditional baking and roasting.

Cakes and bread



#### Function\*

#### **Recommended for**



#### 3D Hotair

With the 3D element around the fan, the hot air distributes and circulates evenly throughout the oven.

Tarts and savory cakes



This feature can be used for slow cooking and during the final stage of baking for a crispy base that isn't dry. Pizza and pies





#### Pizza setting

This feature is perfect for dishes like pizza which require a lot of heat from underneath and moderate amount of heat from the top.

Pizza and baguette





This feature with its grill element and the on and off fan switch helps you roast to perfect crispiness.

Poultry, whole fish and larger pieces of meat





## Full width grill

This feature helps you grill flat items like kebabs with ease.

Steak and sausage and making toast





#### Half width grill

This feature is ideal for grilling of small quantity of food which require a smaller surface area.

Small portion of steak, sausage and making toast





#### Top and bottom heat Eco

This feature is suited for single shelf energy efficient cooking.

Any cooked food



To cook on all four levels simultaneously, four wire racks are required for best results. For up to three levels, all accessories are suitable, i.e. universal tray or baking tray. Features may vary depending on models. Please check individual product specifications.


## Ovens



Model	HSG7361B1 71 Itrs   4D Hotair   14 cooking functions
Features	<ul> <li>71 Itr built-in combi-stream oven</li> <li>Combi Stream oven with 17 heating methods: 4D Hotair, Air fry, Bottom heat, Conventional heat gentle, Defrost, fermentation, Full width grill, Gentle heating, Half width grill, Hotair gentle, Hotair grilling, Keep warm, Pizza setting, pre-heating, Regeneration, Steam 100%, Top/bottom heat</li> <li>Temperature range 30°C - 250°C</li> <li>4D Hotair: A fan that turns in both the direction for equal heat distribution on all the shelf levels</li> <li>2.5" TFT colour, Digital Control Ring and Home Connect</li> <li>Cavity with shelf support rails</li> <li>Rapid heating up function, Steam Boost Function</li> <li>Integrated internal light and cooling fan</li> <li>Direct coated catalytic liners: back panel, side liners, ceiling</li> <li>Oven door with SoftClose, soft opening</li> <li>Comes with 1 - universal pan, 1 - combination grid, 1 - enamel baking tray</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 595 x 594 x 548 mm</li> <li>Cut-out dimensions (HxWxD): 585-595 x 560-568 x 550 mm</li> <li>Connecting cable 1200 mm</li> </ul>



Home Connect






	71 ltrs   3D Hotair   14 cooking functions
Features	<ul> <li>71 Itr built-in oven</li> <li>Oven with 14 heating methods: 3D Hotair, Conventional heat, Hotair grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, Low temperature cooking, Defrost, Preheating, Keep warm, Hotair gentle, Conventional heat gentle, Air Fry</li> <li>Temperature range 30°C - 300°C</li> <li>3D Hotair: With the 3D element around the fan, the Hotair distributes and circulates evenly throughout the oven</li> <li>2.5" TFT colour, Digital Control Ring and Home Connect</li> <li>Cavity with shelf support rails</li> <li>Rapid heating up function</li> <li>Integrated internal light and cooling fan</li> <li>Direct coated catalytic liners: back panel, side liners, ceiling</li> <li>Comes with 1 - universal pan, 1 - combination grid, 1 - enamel baking tray</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 595 x 594 x 548 mm</li> <li>Cut-out dimensions (HxWxD): 585-595 x 560-568 x 550 mm</li> <li>Connecting cable 1200 mm</li> </ul>

HBG7341B1



Model	HBJ577EB0I 63 Itrs   3D Hotair   10 cooking functions
Features	<ul> <li>63 Itr built-in oven</li> <li>Oven with 10 heating methods: Bottom heat, Defrost setting, Full width variable grill, Gentle heating, Hotair, 3D Hotair gentle, Hotair grilling, Keep warm, Pizza setting, Top/bottom heat</li> <li>Temperature range 30°C - 275°C</li> <li>3D Hotair: With the 3D element around the fan, the Hotair distributes and circulates evenly throughout the oven</li> <li>White LED Display; Mechanical Knob</li> <li>Cavity with shelf support rails, Telescopic slide-out Accessory</li> <li>Rapid heating up function</li> <li>Integrated internal light and cooling fan</li> <li>Flap door with Soft Close</li> <li>Comes with 1 - universal pan, 1 - combination grid, 1 - enamel baking tray</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 595 x 594 x 548 mm</li> <li>Cut-out dimensions (HxWxD): 585-595 x 560-568 x 550 mm</li> <li>Connecting cable 1200 mm</li> </ul>






Model	HBJ534EB0I 66 Itrs   3D Hotair   8 cooking functions
Features	<ul> <li>66 Itr built-in oven</li> <li>Oven with 10 heating methods: Bottom heat, Defrost setting, Full width variable grill, 3D Hotair, Hotair gentle, Hotair grilling, Pizza setting</li> <li>Temperature range 50°C - 275°C</li> <li>3D Hotair: With the 3D element around the fan, the Hotair distributes and circulates evenly throughout the oven</li> <li>RED LED Display; Mechanical Knob</li> <li>Cavity with shelf support rails, Telescopic slide-out Accessory</li> <li>Rapid heating up function</li> <li>Integrated internal light and cooling fan</li> <li>Oven door with SoftClose</li> <li>Comes with 1 - universal pan, 1 - combination grid, 1 - enamel baking tray</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 595 x 594 x 548 mm</li> <li>Cut-out dimensions (HxWxD): 585-595 x 560-568 x 550 mm</li> <li>Connecting cable 1200 mm</li> </ul>

Model


## Ovens






Model	HBF532BA0I 66 Itrs   3D Hotair   5 cooking functions
Features	<ul> <li>66 Itr built-in oven</li> <li>Oven with 5 heating methods: Full width variable grill, 3D Hotair, Hotair gentle, Hotair grilling, Top/bottom heat</li> <li>Temperature range 50°C - 275°C</li> <li>3D Hotair: With the 3D element around the fan, the Hotair distributes and circulates evenly throughout the oven</li> <li>RED LED Display; Mechanical Knob</li> <li>Cavity with shelf support rails</li> <li>Rapid heating up function</li> <li>Integrated internal light and cooling fan</li> <li>Comes with 1 - universal pan, 1 - combination grid</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 595 x 594 x 548 mm</li> <li>Cut-out dimensions (HxWxD): 575-597 x 560-568 x 550 mm</li> <li>Connecting cable 1200 mm</li> </ul>






Model	HBF133BR0I 66 Itrs   3D Hotair   5 heating methods
Features	<ul> <li>66 Itr built-in oven</li> <li>Oven with 5 heating methods: Full width variable grill, 3D Hotair, Hotair gentle, Hotair grilling, Top/bottom heat</li> <li>Temperature range 50°C - 275°C</li> <li>3D Hotair: With the 3D element around the fan, the Hotair distributes and circulates evenly throughout the oven</li> <li>RED LED Display; Mechanical Knob</li> <li>Cavity with shelf support rails</li> <li>Rapid heating up function</li> <li>Integrated internal light and cooling fan</li> <li>Comes with 1 - universal pan, 1 - combination grid</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 595 x 594 x 548 mm</li> <li>Cut-out dimensions (HxWxD): 575-597 x 560-568 x 550 mm</li> <li>Connecting cable 1200 mm</li> </ul>





Model	HBF031BA0I 66 Itrs   3D Hotair   5 cooking functions
Features	<ul> <li>66 Itr built-in oven</li> <li>Oven with 5 heating methods: Full width variable grill, 3D Hotair, Hotair gentle, Hotair grilling, Top/bottom heat</li> <li>Temperature range 50°C - 275°C</li> <li>3D Hotair: With the 3D element around the fan, the Hotair distributes and circulates evenly throughout the oven</li> <li>Mechanical Knob</li> <li>Cavity with shelf support rails</li> <li>Rapid heating up function</li> <li>Integrated internal light and cooling fan</li> <li>Comes with 1 - universal pan, 1 - combination grid, 1 - enamel baking tray</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 595 x 594 x 548 mm</li> <li>Cut-out dimensions (HxWxD): 575-597 x 560-568 x 550 mm</li> <li>Connecting cable 1200 mm</li> </ul>





Model	HBF031BR0I 66 Itrs   3D Hotair   5 cooking functions
Features	<ul> <li>66 Itr built-in oven</li> <li>Multifunction oven with heating methods like Hot air grilling, 3D Hotair, Full width grill, Hotair gentle, Top/bottom heat</li> <li>Temperature range 50°C - 275°C</li> <li>3D Hotair: With the 3D element around the fan, the Hotair distributes and circulates evenly throughout the oven</li> <li>Mechanical Knob</li> <li>Cavity with shelf support rails</li> <li>Rapid heating up function</li> <li>Integrated internal light and cooling fan</li> <li>Comes with 1 - universal pan, 1 - combination grid, 1 - enamel baking tray</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 595 x 594 x 548 mm</li> <li>Cut-out dimensions (HxWxD): 575-597 x 560-568 x 550 mm</li> <li>Connecting cable 1200 mm</li> </ul>

# Designed to create perfect symmetry in your kitchen.

Heat, defrost, roast or grill anything, thanks to up to 1000 watts and up to five power levels. The AutoPilot program helps achieve the best possible results with very little effort.





## 8 Automatic programs with weight settings

The microwave oven lets you cook selective dishes easily, thanks to its intuitive 8 Automatic Programs. Just place your food, and enter the weight to be cooked. The microwave oven will automatically set the time required to cook the dish based on the weight. No more guessing game.



## **Cleaning Assistance**

Less cleaning effort thanks to the new cleaning option, which can be especially used for cleaning of light soiling.



## High power levels

The 1000 watts and five power levels of our ovens let you heat, defrost, roast or even grill any food item.




### **Defrost and cook**

Our ovens save your time by allowing you to cook and defrost the food simultaneously without you having to thaw it.


## Microwaves





Model	CMA585MB0I  60 cm   Built-in Combi Microwave Oven   44 Itrs
Features	<ul> <li>44 Itrs built in combi microwave oven with microwave &amp; grill + bake</li> <li>5 Power settings: 900W, 600W, 360W, 180W, 90W</li> <li>Grill and microwave power levels: 600W, 360W, 180W, 90W combinable</li> <li>4 Defrost and 3 cooking programmes in microwave function, 8 programmes for combination function</li> <li>Display: White LED</li> <li>Cavity material: Stainless steel</li> <li>Memory function</li> <li>Cleaning system - By evaporating a detergent solution</li> <li>Door opening: Handle (Top-Down)</li> <li>Clock type: Timer</li> <li>Comes with 1 grid high, 1 grid flat, 1 turntable</li> </ul>
Dimensions	<ul> <li>Appliance Dimensions (HxWxD): 454 x 594 x 570 mm</li> <li>Cut-out dimensions (HxWxD): 450-452 x 560-568 x 550 mm</li> <li>Connecting cable 1800 mm</li> <li>Total connected load: 3.35 kW</li> </ul>






Model	BEL554MB0I 60 cm   Built-in microwave   25 Itrs
Features	<ul> <li>25 ltr built-in microwave with microwave &amp; grill function</li> <li>5 Power settings: 900W, 600W, 360W, 180W, 90W</li> <li>4 Defrost and 3 cooking programmes in Microwave function, 1 in programme for combination function</li> <li>Display: White LED</li> <li>Cavity material: Stainless steel</li> <li>Memory function</li> <li>Cleaning system- By evaporating a detergent solution</li> <li>Door opening: Sensor touch</li> <li>Clock type: Timer</li> <li>Comes with 1 grid, 1 turntable</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 382 x 594 x 388 mm</li> <li>Cut-out dimensions (HxWxD): 380-382 x 560-568 x 550 mm</li> <li>Connecting cable 1300 mm</li> <li>Total connected load: 1.45 kW</li> </ul>


## Microwaves






Model	BEL553MB0I 60 cm   Built-in microwave   25 ltrs
Features	<ul> <li>25 Itr built-in microwave with microwave &amp; grill function</li> <li>5 Power settings: 900W, 600W, 360W, 180W, 90W</li> <li>4 Defrost and 3 cooking programmes in Microwave function, 1 in programme for combination function</li> <li>Display: Red LED</li> <li>Cavity material: Stainless steel</li> <li>Memory function</li> <li>Cleaning system- By evaporating a detergent solution</li> <li>Door opening: Sensor touch</li> <li>Clock type: Timer</li> <li>Comes with 1 grid, 1 turntable</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 382 x 594 x 388 mm</li> <li>Cut-out dimensions (HxWxD): 380-382 x 560-568 x 550 mm</li> <li>Connecting cable 1300 mm</li> <li>Total connected load: 1.45 kW</li> </ul>





Model	BEL553MS0I 60 cm   Built-in microwave   25 ltrs
Features	<ul> <li>25 Itr built-in microwave with microwave &amp; grill function</li> <li>5 power settings: 900W, 600W, 360W, 180W, 90W</li> <li>25 Litres cavity volume</li> <li>Grill function 1200 W</li> <li>8 automatic programs with weight setting</li> <li>Defreeze and cook</li> <li>Door contact switch and safety switch off function</li> <li>Sensor Touch Door opening</li> <li>Cleaning system- By evaporating a detergent solution</li> <li>Clock type: timer</li> <li>Easy installation, harmonious integration into the kitchen furniture and easy to clean</li> <li>Comes with 1 - 31.5 cm glass turntable, 1 - grid</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 382 x 594 x 388 mm</li> <li>Cut-out dimensions (HxWxD): 380-382 x 560-568 x 550 mm</li> <li>Connecting cable 1300 mm</li> <li>Total connected load: 1.45 kW</li> </ul>





Model	BEL550MS0I 60 cm   Built-in microwave   25 ltrs
Features	<ul> <li>25 Itr built-in microwave with microwave &amp; grill function</li> <li>5 power settings: 900W, 600W, 360W, 180W, 90W</li> <li>25 litres cavity volume</li> <li>Grill function 1200 W</li> <li>Door contact switch and safety switch off function</li> <li>Push open door button</li> <li>Cleaning system- By evaporating a detergent solution</li> <li>Clock type: timer</li> <li>Easy installation, harmonious integration into the kitchen furniture and easy to clean</li> <li>Comes with 1 - 31.5 cm glass turntable, 1 - grid</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 382 x 594 x 388 mm</li> <li>Cut-out dimensions (HxWxD): 380-382 x 560-568 x 550 mm</li> <li>Connecting cable 1300 mm</li> <li>Total connected load: 1.45 kW</li> </ul>



# The key to perfect and precise meals.

## **GAS HOBS**

## Flame Failure Safety Device (FFSD)

Automatically shuts off the gas supply when flame goes off.

## **Intense Blue Flame**

Faster cooking with high efficiency burners.

## Zero Leak Design

Limits blockage due to spilling ensuring consistent flame output.

## Sword shaped knobs

Our Sword shaped knobs provide better grip in navigating the flame.

## **True Brass 3D**

Our burners with 3 flame rings for precision cooking and flame control.

## Stylish toughened beveled glass

Indian cooking is class apart and so is our stylish beveled glass for style and good-looking kitchens.

## For the chef in you!

India is a proud land that celebrates food and Indian cooking is characterized by a rich diversity culinary experiences. Well, the different styles of cooking co-relate with the different kind of cooks. The Weekend Cook, the Everyday Cook, the Meticulous Cook, the 2-minute Cook, the Gourmet Cook, the Traditional Cook, the Minimalistic Cook. Making everyone a master chef in their own way.

Whoever the cook or however you cook, Bosch Burners can take on anything right from rare, medium and well done. Especially engineered for elaborate Indian Cooking which relies on an abundance of ingredients, our burners generate an even flame to ensure that the food is cooked evenly in super busy Indian kitchens where all the action happens. Where, when the breakfast rustle-up ends, the lunch simmering starts, then teatime snacks sizzle, after which dinner stirring happens... the process repeats itself, day after day. Heavy-duty Indian kitchens need heavy-duty burners like BOSCH.



# No matter what's your cooking style, True Brass hobs can take on anything.

## The Everyday Cook

Complementing a work life balance is a balanced meal with simple and healthy ingredients. Creating extra special dishes, ensures every meal time is family time. And to give peace of mind to the everyday cook, the intense blue flame from our brass hobs guarantee even cooking every single day.

### **The Gourmet Cook**

In the kitchen, the Gourmet Cooks are the true heroes that bring in meticulous detailing into their culinary art. One hero deserves another one which is our True Brass 3D Burner. It has precision flame control for usage that's really easy. All the 3 rings are burn and perform bright to ensure full capacity cooking that's intense, creative and satisfying.

## **The Minimalistic Cook**

An uncomplicated cooking style defines the minimalist cook who uses minimum ingredients and maximum efforts. Our elegant hobs are the perfect choice for them as they are just as minimalist, timeless, easy to maintain and ideal for daily use.

## The 2-Minute Cook

Their mantra is 2-minute cooking from start to finish. Even though always hurried, how well food is cooked should keep pace. And to certify that this pace is kept, our two wok burners perform in full capacity to cook the dish in the minutes they want it to.

#### The Traditional Cook

Maa believes if it is not traditional and cooked slow, it is not sensational. Hours are juggled cooking tasty dishes, that vanish within minutes. And with our ergonomically designed hobs, Maa gets enough room to be flexible and juggle between dishes, without any utensil clashes.



Unlike the everyday cooks, these are a rare sight. On weekends their culinary skills begin Chilling to them is cooking something for the weekend. They love to experiment, showoff their style and stir up a distinct dish to relish with their partner. And our sealed burner base ensures there is no blockage that comes in-between the weekend cooking creativity.



## **True Brass 3D**





Indian Cooking is all about large and hearty portions. Made from pure brass so you can rely on our burners with 3 flame rings that come with precision flame control that enables easy usage. The internal flame helps to simmer food and for full capacity intense cooking, all 3 flame rings are initiated. You could call it the distinctive rings of trust, that makes control smooth, precise and instinctive. It helps meat, daals and vegetables cook evenly. This makes Indian cooking reliable, safe, versatile and most importantly enjoyable.





**47 |** Gas Hobs

In every Indian kitchen, a range of ingredients and intense sentiments come together to create food, most lovingly. It is this intensity that finds way into the intense blue flame of BOSCH Hobs. The blue flame renders complete combustion where right amount of cooking gas comes in contact with sufficient levels of oxygen. Leading to food being cooked evenly at any flame setting.

## Double the volume

The configuration of our hob is designed to comprise two large burners which further helps in cooking in large volumes easily.





## **GRANDMA'S SECRETS**


## Use tamarind and jaggery

It's very important to have a nice flavor balance in your dish. This would mean sweetness, saltiness, bitterness, sourness, and some umami. Jaggery would provide some sweetness and tamarind would give the gentle sour taste.





## The complete range of burners.



## **True Brass 3D**

Indian Cooking is all about large and hearty portions. Made from pure brass so you can rely on our burners with 3 flame rings that come with precision flame control that enables easy usage. The internal flame helps to simmer food and for full capacity intense cooking, all 3 flame rings are initiated.



## **True Brass 3D Wheel**

Indian Cooking can be just as demanding as it is rewarding. Our Full Brass 3d Burner crafted from Pure Brass, suits the needs of Indian cooking. As you stir and twirl, the consistent flame rises like a swirl on the well-designed wheel wok burner system.



## **True Brass 2D**

When food is cooked in Indian Kitchens, even the neighbors drop by, uninvited. Adhering to Indian needs, this burner is molded out of pure brass. Equipped with 2 rings of flames and multi-flame control, it glows with a precise flame, providing adequate heat for cooking and an even heat distribution.



### True AL 2D

Indian cooking is a labor of love with textures and flavors of tadka to savor. Our True AL 2D Burners knows this. Aluminum's excellent high heat conductivity properties, makes the transfer of heat quick for faster cooking. Cook all that you want on our AL 2D Burners.



## **The Bosch Hob Safety Promise.**

We hail from a lineage that's dedicated to Bosch Safety and Quality Promise. To you, we promise a relationship that is enduring. One that renders excellence at every stage. Maintaining a substantial degree of safety and security, we provide innovative future ready solutions backed by an approach that is result oriented. What's more, the brushed steel finish and the durable glass tops of our hobs are an aesthetic feast for your eyes and promise maximum safety for a wobble-free even cooking experience.

Our products are tested 100% before leaving the factory The Bosch Safety
Promise is built into
all our burners





## **Ergonomic burner placement to accommodate** multiple vessels

Indian kitchens use exceptionally big utensils to cook for large families. Our burner placement can accommodate the biggest of 'kadhais or utensils'. It also provides more than enough space for you to juggle between all the dishes.




### Utensils are placed firmly with cast iron pan support

Large or small, tall or short, heavy or light, whatever the kind of utensils, our designs ensure that they stay firm and don't shake while you are cooking.



#### Elegant design - Sword knobs for better grip

The unique sword shape design of the knobs, makes Bosch knobs delightfully easy to use and the precision of the flame stays in your control. Be it the tadka or the garnishing, our Sword Shape Knobs provide better grip in navigating the flame.



#### Stylish toughened beveled glass

Indian cooking is class apart and so is our stylish bevel glass for style and good-looking kitchens.



### Made by Bosch Made for India

German engineered hobs that are designed and built to take on all challenges of Indian cooks and their cooking styles.




#### 2 year Warranty


For peace of mind and stress free cooking guarantee, our hobs come with 2 years comprehensive warranty.

57 | Gas Hobs Gas Hobs | 58


## True Brass 3D















Model	PNF9B6G20I 90*cm   True Brass 3D 4 Burners   Brass Burners
Features	<ul> <li>Glass gas hob</li> <li>Tempered glass</li> <li>Flame Failure Safety device (FFSD)</li> <li>Cast Iron pan supports</li> <li>Sword Knobs-Gold colour</li> <li>Matt Black Heat Shields</li> <li>Auto Ignition</li> <li>Front Left - 4 kW</li> <li>Back Left - 2.3 kW</li> <li>Back Right - 1.7 kW</li> <li>Front Right - 4 kW</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 915 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 850-852 x 490-502 mm</li> <li>Power Cord Length: 1500 mm</li> </ul>





- A: Min. distance fr
- B: Position of gas
- C: With fitted over see space requ

	)	Model
0	0	Feature
•	(1 socci	
n mm	DE IN SA	

19-29	≥ 30 (C)		
from the hob cu s connection in	t-out to the wall the cut-out		
en underneath p juirements for th			
		30	
	(0)		



- A: Min. distance from the hob cut-out to the wall B: Position of gas connection in the cut-out
- C: With fitted oven underneath possibly more; see space requirements for the oven


Model	PNI7B6G20I 75*cm   True Brass 3D 4 Burners   Brass Burners
Features	<ul> <li>Glass gas hob</li> <li>Tempered glass</li> <li>Flame Failure Safety device (FFSD)</li> <li>Cast Iron pan supports</li> <li>Sword Knobs-Gold colour</li> <li>Matt Black Heat Shields</li> <li>Auto Ignition</li> <li>Left - 4 kW</li> <li>Back - 2.3 kW</li> <li>Right - 4 kW</li> <li>Front Centre - 1.7 kW</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 752 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 560-562 x 480-492 mm</li> <li>Power Cord Length: 1000 mm</li> </ul>


Model	PND7B6G201 75*cm   True Brass 3D 3 Burners   Brass Burners
Features	<ul> <li>Glass gas hob</li> <li>Tempered glass</li> <li>Flame Failure Safety device (FFSD)</li> <li>Cast Iron pan supports</li> <li>Sword Knobs-Gold colour</li> <li>Matt Black Heat Shields</li> <li>Auto Ignition</li> <li>Front Left - 4 kW</li> <li>Back Centre - 2.3 kW</li> <li>Front Right - 4 kW</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 752 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 560-562 x 480-492 mm</li> <li>Power Cord Length: 1000 mm</li> </ul>

**59** | Gas Hobs Gas Hobs | 60


## True Brass 2D
















Model	PNF9B6F20I 90*cm   True Brass 2D 4 Burners   Brass Burners
Features	• Glass gas hob • Tempered glass • Flame Failure Safety device (FFSD) • Cast Iron pan supports • Sword Knobs-Gold colour • Matt Black Heat Shields • Auto Ignition • Front Left - 4 kW • Back Left - 2.3 kW • Back Right - 1.7 kW • Front Right - 4 kW
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 915 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 850-852 x 490-502 mm</li> <li>Power Cord Length: 1500 mm</li> </ul>





- A: Min. distance from the hob cut-out to the wall
- B: Position of gas connection in the cut-out
- C: With fitted oven underneath possibly more; see space requirements for the oven

	0		
0		0	



A: Min. distance from the hob cut-out to the wall B: Position of gas connection in the cut-out C: With fitted oven underneath possibly more; see space requirements for the oven


Model	PNI7B6F20I 75*cm   True Brass 2D 4 Burners   Brass Burners
Features	• Glass gas hob • Tempered glass • Flame Failure Safety device (FFSD) • Cast Iron pan supports • Sword Knobs-Gold colour • Matt Black Heat Shields • Auto Ignition • Left - 4 kW • Back - 2.3 kW • Right - 4 kW • Front Centre - 1.7 kW
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 752 x 520 mm</li> <li>Cut out dimensions (HxWxD): 56 x 752 x 520 mm</li> <li>Power Cord Length: 1000 mm</li> </ul>

Model	PND7B6F20I 75*cm   True Brass 2D 3 Burners   Brass Burners
Features	<ul> <li>Glass gas hob</li> <li>Tempered glass</li> <li>Flame Failure Safety device (FFSD)</li> <li>Cast Iron pan supports</li> <li>Sword Knobs-Gold colour</li> <li>Matt Black Heat Shields</li> <li>Auto Ignition</li> <li>Front Left - 4 kW</li> <li>Back Centre - 2.3 kW</li> <li>Front Right - 4 kW</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 752 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 560-562 x 480-492 mm</li> <li>Power Cord Length: 1000 mm</li> </ul>

61 | Gas Hobs | 62

## True Brass 2D





- A: Min. distance from the hob cut-out to the wall B: Position of gas connection in the cut-out
- C: With fitted oven underneath possibly more; see space requirements for the oven

## PNH6B6F20I Model 60\*cm | True Brass 2D 4 Burners | Brass Burners **Features** • Glass gas hob • Tempered glass • Flame Failure Safety device (FFSD) • Cast Iron pan supports • Sword Knobs-Gold colour • Matt Black Heat Shields Auto Ignition • Front Left - 4 kW • Back Left - 2.3 kW • Back Right - 2.3 kW • Front Right - 1.7 kW Appliance dimensions (HxWxD): Dimensions 56 x 590 x 520 mm • Cut out dimensions (HxWxD): 45 x 560-562 x 480-492 mm • Power Cord Length: 1000 mm

## True Brass 3D Wheel





Measurements in mm	
72	
R 20 2 150 (A) (B) 35 85 85 85 85 85 85 85 85	
As Allin effections a force that had not not to the our	á

A: Min. distance from the hob cut-out to the wall
 B: Position of gas connection in the cut-out
 C: With fitted oven underneath possibly more; see space requirements for the oven


Model	PMD83D31NX 70*cm   True Brass 3D Wheel 3 Burners   Brass Burners
Features	<ul> <li>Glass gas hob</li> <li>Tempered glass</li> <li>Flame Failure Safety device (FFSD)</li> <li>Enameled pan supports</li> <li>Sword Knobs</li> <li>Stainless steel heat Shields</li> <li>Auto Ignition</li> <li>Left - 4 kW</li> <li>Centre Rear - 2 kW</li> <li>Right - 4 kW</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 150 x 780 x 450 mm</li> <li>Cut out dimensions (HxWxD): 80 x 700-700 x 400-400 mm</li> <li>Power Cord Length: 1200 mm</li> </ul>











A: Min. distance from the hob cut-out to the wall B: Position of gas connection in the cut-out C: With fitted over undermeath possibly more;


Model	PNF9B6F10I 90*cm   True Brass 2D 4 Burners   Brass Burners
Features	• Glass gas hob • Tempered glass • Flame Failure Safety device (FFSD) • Enameled pan supports • Sword Knobs • Glossy Black Heat Shields • Auto Ignition • Front Left - 4 kW • Back Left - 2.3 kW • Back Right - 1.7 kW • Front Right - 4 kW
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 915 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 850-852 x 490-502 mm</li> </ul>

• Power Cord Length: 1500 mm

63 | Gas Hobs Gas Hobs | 64

## True Brass 2D








B: Position of gas connection in the cut-out

C: With fitted oven underneath possibly more; see space requirements for the oven

Model	PNI7B6F10I 75*cm   True Brass 2D 4 Burners   Brass Burners
Features	• Glass gas hob • Tempered glass • Flame Failure Safety device (FFSD) • Enameled pan supports • Sword Knobs • Glossy Black Heat Shields • Auto Ignition • Left - 4 kW • Back - 2.3 kW • Right - 4 kW • Front Centre - 1.7 kW
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 752 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 560-562 x 480-492 mm</li> <li>Power Cord Length: 1000 mm</li> </ul>






A: Min. distance from the hob cut-out to the wall B: Position of gas connection in the cut-out C: With fitted oven underneath possibly more; see space requirements for the oven

Model	PNH6B6F10I 60*cm   True Brass 2D 4 Burners   Brass Burners
Features	• Glass gas hob • Tempered glass • Flame Failure Safety device (FFSD) • Enameled pan supports • Sword Knobs • Glossy Black Heat Shields • Auto Ignition • Front Left - 4 kW • Back Left - 2.3 kW • Front Right - 1.7 kW • Back Right - 2.3 kW
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 590 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 560-562 x 480-492 mm</li> <li>Power Cord Length: 1000 mm</li> </ul>





A: Min. distance from the hob cut-out to the wall B: Position of gas connection in the cut-out

C: With fitted oven underneath possibly more; see space requirements for the oven

(	<u></u>
Maria Company	0
۱	₩ Store

ANDE IN SORIE

Model	PNC6B6F10I 60*cm   True Brass 2D 3 Burners   Brass Burners
Features	<ul> <li>Glass gas hob</li> <li>Tempered glass</li> <li>Flame Failure Safety device (FFSD)</li> <li>Enameled pan supports</li> <li>Sword Knobs</li> <li>Glossy Black Heat Shields</li> <li>Auto Ignition</li> <li>Left Centre - 4 kW</li> <li>Back Right - 2.3 kW</li> <li>Front Right - 1.7 kW</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 590 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 560-562 x 480-492 mm</li> <li>Power Cord Length: 1000 mm</li> </ul>

PND7B6F10I

• Glass gas hob

• Sword Knobs

• Auto Ignition • Front Left - 4 kW • Back Center - 2.3 kW • Front Right - 4 kW

• Tempered glass

75\*cm | True Brass 2D 3 Burners | Brass Burners

• Enameled pan supports

• Glossy Black Heat Shields

• Appliance dimensions (HxWxD):

• Cut out dimensions (HxWxD): 45 x 560-562 x 480-492 mm • Power Cord Length: 1000 mm

56 x 752 x 520 mm


• Flame Failure Safety device (FFSD)

Model

**Features** 

**Dimensions** 


January Control of the Control of th	0
O Marine Control of the Control of t	<u>©</u>
<b>.</b>	



65 | Gas Hobs Gas Hobs | 66

## True AL 2D






A: Min. distance from the hob cut-out to the wall B: Position of gas connection in the cut-out C: With fitted oven underneath possibly more; see space requirements for the oven

Model	PNI7B6B10I 75*cm   True AL 2D 4 Burners   Aluminium Burners
Features	• Glass gas hob • Tempered glass • Flame Failure Safety device (FFSD) • Enameled pan supports • Sword Knobs • Glossy Black Heat Shields • Auto Ignition • Left - 4 kW • Back - 2.3 kW • Right - 4 kW • Front Centre - 1.7 kW
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 752 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 560-562 x 480-492 mm</li> <li>Power Cord Length: 1000 mm</li> </ul>






A: Min. distance from the hob cut-out to the wall B: Position of gas connection in the cut-out C: With fitted oven underneath possibly more; see space requirements for the oven

Model	PNH6B6B12I 60*cm   True AL 2D 4 Burners   Aluminium Burners
Features	• Glass gas hob • Tempered glass • Flame Failure Safety device (FFSD) • Enameled pan supports • Sword Knobs • Glossy Black Heat Shields • Auto Ignition • Front Left - 4 kW • Back Left - 2.3 kW • Back Right - 2.3 kW • Front Right - 1.7 kW
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 590 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 560-562 x 480-492 mm</li> <li>Power Cord Length: 1000 mm</li> </ul>






- A: Min. distance from the hob cut-out to the wall
- B: Position of gas connection in the cut-out
- C: With fitted oven underneath possibly more; see space requirements for the oven

	Model	PND7B6B10I 75*cm   True AL 2D 3 Burners   Aluminium Burners
O STORE IN SORTE	Features	<ul> <li>Glass gas hob</li> <li>Tempered glass</li> <li>Flame Failure Safety device (FFSD)</li> <li>Enameled pan supports</li> <li>Sword Knobs</li> <li>Glossy Black Heat Shields</li> <li>Auto Ignition</li> <li>Front Left - 4 kW</li> <li>Back Centre - 2.3 kW</li> <li>Front Right - 4 kW</li> </ul>

**Dimensions** 





Model	PNC6B6B11I 60*cm   True AL 2D 3 Burners   Aluminium Burners
Features	<ul> <li>Glass gas hob</li> <li>Tempered glass</li> <li>Flame Failure Safety device (FFSD)</li> <li>Enameled pan supports</li> <li>Sword Knobs</li> <li>Glossy Black Heat Shields</li> <li>Auto Ignition</li> <li>Centre Left - 4 kW</li> <li>Back Right - 2.3 kW</li> <li>Front Right - 1.7 kW</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 56 x 590 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 560-562 x 480-492 mm</li> <li>Power Cord Length: 1000 mm</li> </ul>


• Appliance dimensions (HxWxD):


• Cut out dimensions (HxWxD): 45 x 560-562 x 480-492 mm • Power Cord Length: 1000 mm

56 x 752 x 520 mm


Gas Hobs | 68













Model	PCQ9B5O90I 90*cm   5 Burners Stainless steel gas hob
Features	<ul> <li>Aluminium burner</li> <li>Stainless Steel with Brushed Finish</li> <li>Dual Flame Power Burner</li> <li>Flame failure safety device (FFSD)</li> <li>Cast Iron Pan Supports</li> <li>Cylindrical knobs</li> <li>Auto Ignition</li> <li>Burner powers: Front left - 1 kW Front right - 1.5 kW Rear left - 1.75 kW Rear right - 3 kW</li> <li>Centre front - 4 kW</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 45 x 915 x 520 mm</li> <li>Cut out dimensions (HxWxD): 45 x 850-852 x 490-502 mm</li> <li>Power cord length: 1000 mm</li> </ul>



## Lights up your day.

## Pan recognition sensor

The pan recognition sensor detects the size of your pots and pans, to determine the size of your cooking zone.

## Easy to clean

The ceramic glass on our induction hobs means they are easy to clean if something spills on them.

## ReStart function .....

The "ReStart" function will restore your last cooking settings if you turn off the induction stove by accident.

## **INDUCTION HOBS**

## **Child lock**

This lock helps to ensure the safety of small hands by locking the control panel on your hob.

## **TouchSelect**

The Touch select panel on our induction hobs lets you easily select the cooking zones, and set the individual power levels.

## QuickStart

•

Just select the power level and start cooking without delay.

71 | Induction Hobs

#### Induction Hobs

# Why induction?

Save time for the important things in life. Our induction cooktops with PowerBoost function increases power output to selected cooking zone by approximately 50 percent. Which means you can easily heat up 2 liters water in just 4.7 minutes\*.

#### Why is it so fast, so easy to clean and safe?

Induction hobs are easier to clean than traditional hobs, because the ceramic glass doesn't get as hot. Any spillages can be quickly and easily wiped away. With an Induction hob, micro-currents are generated in the bottom of the pot. Consequently, heat is only created when the pan is connected to the hob & heating will stop as soon as it's removed, which means it's far safer than cooking with traditional hobs.

#### **GRANDMA'S SECRETS**

# Tricks to Reduce Excess Salt in Curries

Make balls of the flour dough about 2-3 depending upon the quantity of your dish and put them in the curry.

Induction hobs

# Multiple cooking zones. 17 cooking levels. Endless possibilities!



#### **Efficiency**

#### TouchSelect:

The Touch select panel of our induction hobs lets you select cooking zones with ease and directly set the individuals power levels.

#### QuickStart:

Start cooking quicker. The QuickStart function automatically detects the location of your pot and displays the cooking zone on the control interface. Just select the power level and start cooking without delay.

#### **ReStart function:**

If you happen to spill something on the induction or accidentally switch it off, The restart function will restore your last selected settings on your hob if you switch it off accidentally. Simply press the main power switch within 4 seconds.

#### Touch control-Digital display:

Put your constant worry to rest. The intelligent digital display of our hobs alerts you when your food is ready, while keeping track of your total cooking time as well.

#### **Boost function for all zones:**

The 32 cm cooking zones of our inductions is specially designed for an action of up to 5.5kW power. Which means, you can cook your rice three time quicker than usual.



#### **Performance**

#### 17 Power levels:

The 17-stage power setting function of our hobs gives you complete control over every recipe by letting you set the cooking zone in increments of 0.5. E.g., 0.5, 1, 1.5, 2, etc.

#### PowerBoost - now with even more power!

PowerBoost channels increased power to a selected zone to quicken the cooking process. With PowerBoost, you can boil 2 liters of water almost three times faster than on a conventional glass-ceramic hob.

#### Pan recognition sensor:

The pan recognition sensor detects the diameters of your pots and pans accordingly to determine the size of your cooking zone. And if you remove your pots without switching the induction off, the indicator on the control panel will become inactive until it detects your pots and pans again.



#### **Simplicity**

#### Stage residual heat indicator:

The countdown timer on our hobs allows you to set your desired cooking time and notifies you when the time is up. The cooking zone automatically deactivates once the countdown is completed.

#### Easy to clean:

Our induction hobs are made of ceramic glass which don't heat up as much. This makes the cleaning of any spillage super convenient and safe.


#### Child lock


Maximum safety for tiny hands. Lock your hob's control panel and prevent accidental little chefs from 'helping out' and hurting themselves. Enjoy the reassurance of maximum safety for both you and your loved ones.


#### Safe to use:

With your safety in mind, our induction hobs only heat up when a pot or pan is placed on it. And heating stops immediately once your remove the pot.

# **Induction Hobs**









Model	PIE651BB5I 60cm   4 Induction cooking zones Direct select   Ceramic glass
Features	<ul> <li>Touch control-digital display</li> <li>QuickStart function</li> <li>17 Power levels</li> <li>Automatic pan recognization sensor</li> <li>ReStart function</li> <li>Digital 2 stage residual heat indicators</li> <li>Boost function for all zones</li> <li>Safety time-Switch-Off</li> <li>ChildLock proof</li> <li>Power management function</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 51 x 592 x 522 mm</li> <li>Cut-out niche dimensions (HxWxD): 51 x 560-560 x 490-500 mm</li> <li>Power cord length: 1100 mm</li> </ul>







Model	PIB375FB5I 30cm   2 Induction cooking zones Direct select   Ceramic glass
Features	<ul> <li>Touch control-digital display</li> <li>QuickStart function</li> <li>17 Power levels</li> <li>Automatic pan recognization sensor</li> <li>ReStart function</li> <li>Digital 2 stage residual heat indicators</li> <li>Boost function for all zones</li> <li>Safety time-Switch-Off</li> <li>ChildLock proof</li> <li>Power management function</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 51 x 306 x 527 mm</li> <li>Cut-out niche dimensions (HxWxD): 51 x 270 x 490-500 mm</li> <li>Power cord length: 1100 mm</li> </ul>



**75** | Induction Hobs

# **Cooking in Fresh air.**

**Booster Mode** 

Maximum ventilation for Indian-style cooking.

# **CHIMNEYS**

#### **Smart Motor Technology**

•••••

**BOSCH** 

**BOSCH** 

Motor with high suction power at minimal noise level.

#### **Self-Clean Technology**

Cleans itself with a click of a button.

#### **Self-clean Reminder**

It indicates when the chimney needs to be cleaned, soyou no longer need to guess when to clean the chimney.

#### **Gesture Control**

Now control the chimney with just a wave of your hand.

# Delayed Shut Off .....

This extracts the leftover smoke and automatically turns off the chimney in 10 minutes.



# You'll look up with gratitude.



#### Self-clean Technology:

Cleaning a chimney has never been this easy, stress-free and gratifying. The Bosch Chimney comes with Self-Clean Technology that cleans itself with just a click of a button. The interior heats up and dissolves the accumulated grease, which flows down into an easily detachable tray. All you have to do is remove the tray and discard the oil.

#### **Self-clean Reminder:**

To make life much easier, it also comes with a Self-Clean Reminder feature. It indicates when the chimney needs to be cleaned, so you no longer need to guess when to clean the chimney.





#### **Smart Motor Technology:**

Not everything powerful makes noise. Experience Smart Motor Technology with a powerful motor coupled with the Archimedean Air principle that provides higher suction with lower noise. It also helps lower energy consumption, giving you a happy cooking experience and complete peace of mind.





#### **Booster Function:**

Indian cooking is indeed very dynamic, with different cooking techniques. Perfect for Indian cooking, the Booster Function provides maximum ventilation whilst heavy cooking like deep frying puris, tempering dal, shallow frying tikkis, roasting meats, etc.





#### **Delayed Shut off:**

While fresh aromas fill your kitchen as you cook, smoke and other odors to linger along after you're done with cooking. But now you can get rid of all the odors by activating the Delayed Shut Off option. This extracts the leftover smoke and automatically turns off the chimney in 10 minutes, leaving your kitchen fresh and clean.



#### **Gesture Control:**

Got your hands full in the kitchen? Now control the chimney with just a wave of your hand with Gesture Control. Turn it on or control the speed without even touching it. Experience hands-free control that's absolutely simple.





# The right chimney

Match your chimney with your kitchen to keep your kitchen smelling clean and fresh. The right chimney replaces air in your kitchen ideally 10 times an hour.




When choosing a hood, always match its air delivery power to the size of your kitchen. An effective extractor should be able to replace the air in your kitchen 10 times an hour.







#### Measuring Suction power for open kitchen.


For open layout kitchens, identify the location of your hood and estimate your kitchen volume in the following manner:












Model	<b>DWKA98H60I</b> Inclined 90*cm   Filterless Chimney   Touch With Gesture Control
Features	<ul> <li>3 Fan speed + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950<sup>s</sup> m³/h</li> <li>Max. Noise levels: 55-64dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 1 Nos.</li> <li>Black Glass</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 986 x 900 x 415 mm</li> <li>Exhaust dimension: 180 mm</li> <li>Electrical supply cord length: 1500 mm</li> </ul>







Model	DWKA98G60I Inclined 90*cm   Filterless Chimney   Touch Controls
Features	<ul> <li>3 Fan speed + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950\$ m³/h</li> <li>Max. Noise levels: 54-68dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Black Glass</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 986 x 900 x 415 mm</li> <li>Exhaust dimension: 184 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>

<sup>\*</sup>All the dimensions mentioned are indicative and rounded up to +/- 5cm . For exact dimensions, please refer to www.bosch-home.in The height of each hood is inclusive of the size of the duct cover. \*When running on level 1. \*As per DIN standards.






Model	DWKA68H60I Inclined 60*cm   Filterless Chimney I Touch With Gesture Control
Features	<ul> <li>3 Fan speed + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950° m³/h</li> <li>Max. Noise levels: 55-68dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Black Glass</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 986 x 600 x 415 mm</li> <li>Exhaust dimension: 184 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>




Model	DWKF68G60I Inclined 60*cm   Filterless Chimney   Touch Controls
Features	<ul> <li>3 Fan speed + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950\$ m³/h</li> <li>Max. Noise levels: 55-68dB*</li> <li>LED lamp x 2 Nos.</li> <li>Black Glass</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 986 x 602 x 415 mm</li> <li>Exhaust dimension: 184 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>






Model	DWKA68G60I Inclined 60*cm   Filterless Chimney   Touch Controls
Features	<ul> <li>3 fan speeds + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950° m³/h</li> <li>Max. Noise levels: 55-68dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Black Glass</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 Years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 986 x 600 x 415 mm</li> <li>Exhaust dimension: 184 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>






Model	DWEA98H60I Chamfered Glass Box 90*cm I Filterless Chimney I Touch With Gesture Control
Features	<ul> <li>3 Fan speed + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950<sup>s</sup> m³/h</li> <li>Max. Noise levels: 57-70dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Lacquered</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 674 x 895 x 494 mm</li> <li>Exhaust dimension: 199 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>






Model	DWBA98J60I Glass Inlay 90*cm   Baffle Filter   Touch With Gesture Control
Features	<ul> <li>3 Fan speed + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950<sup>\$st}</sup> m³/h</li> <li>Max. Noise levels: 57-70dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Lacquered</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 527 x 900 x 506 mm</li> <li>Exhaust dimension: 182 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>






Model	<b>DWBA98G60I</b> Glass Box 90*cm   Baffle Filters   Touch Controls
Features	<ul> <li>3 fan speeds + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950<sup>s</sup> m³/h</li> <li>Max. Noise levels: 57-70dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Lacquered</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 Years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 527 x 900 x 506 mm</li> <li>Exhaust dimension: 182 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>






Model	<b>DWBA98H60I</b> Glass Box 90*cm   Baffle Filter   Touch With Gesture Control
Features	<ul> <li>3 Fan speed + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950° m³/h</li> <li>Max. Noise levels: 57-70dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Lacquered</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 527 x 900 x 506 mm</li> <li>Exhaust dimension: 182 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>




Model	<b>DWBA68J60I</b> Glass Inlay 60*cm   Baffle Filter   Touch With Gesture Control
Features	<ul> <li>3 Fan speed + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950\$ m³/h</li> <li>Max. Noise levels: 57-70dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Lacquered</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 527 x 600 x 506 mm</li> <li>Exhaust dimension: 182 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>






Model	DWBA68H60I Glass Box 60*cm I Baffle Filter I Touch With Gesture Control
Features	<ul> <li>3 Fan speed + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950\$ m³/h</li> <li>Max. Noise levels: 57-70dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Lacquered</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 527 x 600 x 506 mm</li> <li>Exhaust dimension: 182 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>






Model	<b>DWHA98G60I</b> Curve Glass 90*cm   Baffle Filters    Touch Controls
Features	<ul> <li>3 fan speeds + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950<sup>\$</sup> m³/h</li> <li>Max. Noise levels: 55-68dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Lacquered</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 Years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 520 x 900 x 500 mm</li> <li>Exhaust dimension: 182 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>






Model	DWBA68G60I Glass Box 60*cm   Baffle Filters   Touch Controls
Features	<ul> <li>3 fan speeds + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950<sup>\$</sup> m³/h</li> <li>Max. Noise levels: 57-70dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Lacquered</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 Years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 527 x 600 x 506 mm</li> <li>Exhaust dimension: 182 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>






Model	<b>DWHA68G60I</b> Curve Glass 60*cm   Baffle Filter    Touch Control
Features	<ul> <li>3 Fan speed + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950\$ m³/h</li> <li>Max. Noise levels: 55-68dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Lacquered</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 520 x 600 x 500 mm</li> <li>Exhaust dimension: 182 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>





Model	DWGA98G60I Straight Glass 90*cm   Baffle Filter   Touch Control
Features	<ul> <li>3 Fan speed + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950<sup>s</sup> m³/h</li> <li>Max. Noise levels: 55-68dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Lacquered</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 520 x 900 x 500 mm</li> <li>Exhaust dimension: 182 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>






Model	<b>DWGA68G60I</b> Straight Glass 60*cm   Baffle Filters   Touch Controls
Features	<ul> <li>3 fan speeds + Intensive mode</li> <li>Motor power: 148W motor</li> <li>Smart Motor Technology for very high suction power with minimal noise</li> <li>Extraction rate: Up to 950° m³/h</li> <li>Max. Noise levels: 55-68dB*</li> <li>Self-Clean technology with Self-Clean reminder function</li> <li>LED lamp x 2 Nos.</li> <li>Lacquered</li> <li>Ducted</li> <li>Delayed Shut off function</li> <li>Certified by CB</li> <li>Warranty: 2 Years comprehensive</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 520 x 600 x 500 mm</li> <li>Exhaust dimension: 182 mm</li> <li>Electrical supply cord length: 1800 mm</li> </ul>


# Supra Glass





Model	DIB128G50I 120*cm   Island Chimney   Touch Controls
Features	<ul> <li>3 fan speeds + Intensive mode</li> <li>Motor power: 350W motor</li> <li>Very high suction power</li> <li>Extraction rate: Up to 950\$ m³/h</li> <li>Max. Noise levels: 55 - 77dB</li> <li>High efficient baffle filter x 4 Nos.</li> <li>LED lamp x 4 Nos.</li> <li>Stainless steel</li> <li>Ducted or Re-circulation mode</li> <li>Certified by CEE BEE / ROHS</li> <li>Warranty: 2 years comprehensive</li> <li>5 years on motor</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 1000 x 1175 x 610 mm</li> <li>Exhaust dimension: 150/120 mm</li> <li>Electrical supply cord length: 1500 mm</li> </ul>





Model	DIB098G50I 90*cm   Island Chimney   Touch Controls
Features	<ul> <li>3 fan speeds + Intensive mode</li> <li>Motor power: 350W motor</li> <li>Very high suction power</li> <li>Extraction rate: Up to 950<sup>\$ m³</sup>/h</li> <li>Max. Noise levels: 55 - 77dB</li> <li>High efficient baffle filter x 3 Nos.</li> <li>LED lamp x 4 Nos.</li> <li>Stainless steel</li> <li>Ducted or Re-circulation mode</li> <li>Certified by CEE BEE / ROHS</li> <li>Warranty: 2 years comprehensive</li> <li>5 years on motor</li> </ul>
Dimensions	<ul> <li>Appliance dimensions (HxWxD): 1000 x 900 x 610 mm</li> <li>Exhaust dimension: 150/120 mm</li> <li>Electrical supply cord length: 1500 mm</li> </ul>

Range Cooker | Features

Let the Bosch Range Cooker do the multitasking while you cook some stories.







#### **Gas Hob**

Equipped with **Wok burner** for heavy-duty cooking and **Cast iron pan supports;** the four burner hob is a feast for your eyes while prioritizing your safety with **Flame failure safety device.** 

#### **Electric Oven**


High capacity **66L** oven with a top and bottom grill function, **3D hot air** and special features to bake perfect crispy pizzas.

#### **Plinth Drawer**

Extra space for storing your utensils.

# Range Cooker





Model	HXR390I50K 60cm   Range Cooker 66L
Features	<ul> <li>Digital display on the controls</li> <li>9 heating &amp; combination modes</li> <li>1 Wok burner + 3 Burners (1 x 1.0 KW, 1 x 3.5 KW, 2 x 1.75 KW)</li> <li>3D hot air, Bottom heat, Conventional heat, Defrost, Full width variable broil, Hot air broiling, Hotair gentle, Pizza setting, Pre-heating</li> <li>Energy efficiency class: A</li> <li>Flame failure safety device and Cast iron pan supports</li> <li>2 Years comprehensive</li> </ul>
Dimensions	• Appliance Dimensions (HxWxD): 850 x 600 x 600 mm

# **Redefine dishwashing**

# **DISHWASHERS**

#### Zeolith Drying Technology .....

Absorbs moisture and converts it to heat using the natural mineral Zeolite. This results in a quicker and more efficient dry.

#### **Cutlery Drawer**

A cutlery tray for cutlery and small dishes.



A unique feature in Bosch where Detergent tablets are dissolved efficientlyin a special tray preventing these tablets sticking in between dishes, potsand pans for an enhanced cleaning performance.

#### Spray Arms

The curved shape of the lower spray arm a nd the upper spray arm ensures that the jets of hot water are spread evenly to each and every corner of the vessel.

.....



#### Rackmatic

By pushing a simple clip on the upper basket, you can adjust it's height at 3 levels vertically to accommodate Indian utensils of different sizes.



Bosch built-in dishwashers are designed to fit in your new or existing kitchen with style and ease. With thoughtful features like RackMatic and Home Connect, doing the dishes is now easier than ever before.



97 | Dishwashers

**Perfected for Indian Utensils** The Intensive 70°C program designed to clean oily & masala

stained Kadhais, pots, pans, etc.



Home Connect NEW

The IOT enabled remote-access ecosystem lets you connect directly with your dishwasher from anywhere, through the Home Connect<sup>^</sup> App.Now you can control everything on the go.



**Hygienic Wash** With Bosch dishwasher water heats up to 70°C & kills 99.99% germs & bacteria.



RackMatic NEW

The 3-Stage Rackmatic flexible basket fits almost everything your kitchen has to offer.



Clutter-free kitchen Bosch Dishwasher helps you keep your kitchen platform clutter-free and spacious.



#### No manual pre rinse required

Directly load the utensils in the dishwasher after scraping the leftovers, without any need to manually pre-rinse them.




DosageAssist

The DosageAssist feature maximizes the effectiveness of detergent tablets by dropping them into a specially designed tray that is targeted by water jets, resulting in a tablet that dissolves evenly under control ensuring optimal usage.



#### **Glass Protection Technology**

Bosch Dishwashers with glass protection technology constantly regulates the degree of hardness of water to ensure that valuable glasses and crockery are washed with special care.









Spray Arms

Filter System

Dishwasher Salt Dispenser

Detergent Dispenser

Top Shower

Cutlery Drawer

Top Basket

DossageAssist detergent dispenser

Bottom Basket

Rinse Aid Dispenser

Training of the se

0

# 80 utensils\* can fit in a single load of a Bosch Dishwasher



Kadhai (5.5 ltrs) Qty.1



Pressure cooker (5 ltrs) Qty.1



Cooking Pot (4 ltrs) Qty.1



Serving pot (2 ltrs) Qty.2



Heating Glass bowl (900 ml) Qty.2



Milk pot (1.5 ltrs) Qty.1



Tea Patila (2 ltrs) Qty.1



Plastic containers (500 ml) Qty.1



Plastic containers (230 ml) Qty.2



Dinner plates (12 in) Qty.8



Quarter Plates (8.5 in) Qty.2



Bowls (180 ml) Qty.12



Coffee mug (270 ml) Qty.4



Glass (250 ml) Qty.4



SS/Glass tumblers (250 ml) Qty.6



Table spoons Qty.15



Forks Qty.6



Knives Qty.2



Ladles/Serving Spoons Qty.8




Strainer Qty.1

#### **GRANDMA'S SECRETS**


### it's time to stop rinsing your dishes

in spite of the fact that you must scrape your plates clean of any food bits, you do not need to rinse them before putting them in dishwasher. If you do so, the soan may not be as effective






# Built-in Dishwashers



Model	SMV6HVX00I  14 Place settings   Built-in Fully Integrated Dishwasher
Features	<ul> <li>Home Connect - IOT Enabled Remote Monitoring and Control</li> <li>Integration with: Google / Alexa voice assistance, IFTTT, Fitbit/Apple/Android Smart Watch, Etc.</li> <li>3 Stage RackMatic flexible Basket</li> <li>Glass Protection Technology • EcoSilence Drive</li> <li>DosageAssist • AquaSensor</li> <li>Automatic detergent detection • Additional Top shower</li> <li>New Wash Programme - Express Sparkle 65°C - Wash &amp; dry in 60 min.</li> <li>6 Programmes: Including Intensive Kadhai 70°C</li> <li>5 Wash options: Half Load, SpeedPerfect+, Extra Dry, IntensiveZone, Remote Start</li> <li>Inbuilt Water softener • Additional cutlery drawer</li> <li>Programme &amp; options descriptive printing on the top of Dishwasher door</li> <li>Cup shelves • Time delay: 1-24 hrs.</li> <li>Downloadable Programme*</li> <li>Remote Diagnostic*</li> <li>Triple water protection 24 hrs.</li> </ul>
Dimensions	• Dimensions (HxWxD): 81.5 x 59.8 x 55 cm



	13 Place settings   Built-in Semi Integrated Dishwasher
Features	<ul> <li>Home Connect - IOT Enabled Remote Monitoring and Control</li> <li>Integration with: Google / Alexa voice assistance, IFTTT, Fitbit/Apple/Android Smart Watch, Etc.</li> <li>3 Stage RackMatic flexible Basket</li> <li>Glass Protection Technology • EcoSilence Drive</li> <li>DosageAssist • AquaSensor</li> <li>Automatic detergent detection • Additional Top shower</li> <li>New Wash Programme - Express Sparkle 65°C - Wash &amp; dry in 60 min.</li> <li>6 Programmes: Including Intensive Kadhai 70°C</li> <li>5 Wash options: Half Load, Extra Dry, IntensiveZone, Vario Eco, Remote Start Inbuilt Water softener</li> <li>Cutlery Box - Moveable</li> <li>Programme &amp; options descriptive printing on the top of Dishwasher door</li> <li>Cup shelves • Time delay: 1-24 hrs.</li> <li>Downloadable Programme*</li> <li>Remote Diagnostic*</li> <li>Single water protection 24 hrs.</li> </ul>
Dimensions	• Dimensions (HxWxD): 81.5 x 59.8 x 57.3 cm

SMI4IVS00I

# Free-standing Dishwashers

Home Connect



Model	SMS6ZCW42E  14 Place settings   Freestanding Dishwasher   White
Features	<ul> <li>Zeolith® - Perfect Dry Technology</li> <li>Home Connect - IOT Enabled Remote Monitoring and Control</li> <li>Integration with: Google / Alexa voice assistance, IFTTT, Fitbit/Apple/Android Smart Watch, Etc.</li> <li>3 Stage RackMatic flexible Basket</li> <li>Glass Protection Technology • EcoSilence Drive</li> <li>DosageAssist • AquaSensor</li> <li>Automatic detergent detection • Additional Top shower</li> <li>New wash option - Machine Care</li> <li>8 Programmes: Including Intensive Kadhai 70°C</li> <li>5 Wash options: Extra Dry, SpeedPerfect+, Intensive Zone, Machine Care, Remote Start</li> <li>Inbuilt Water softener • Additional cutlery drawer</li> <li>Programme &amp; options descriptive printing on the top of Dishwasher door</li> <li>Cup shelves • Time delay: 1-24 hrs.</li> <li>Downloadable Programme*</li> <li>Remote Diagnostic*</li> <li>Triple water protection 24 hrs.</li> </ul>
Dimensions	• Dimensions (HxWxD): 84.5 x 60 x 60 cm



Brand store exclusive model

Model	SMS6HVI01I  14 Place settings   Freestanding Dishwasher   Silver Inox
Features	<ul> <li>Home Connect - IOT Enabled Remote Monitoring and Control</li> <li>Integration with: Google / Alexa voice assistance, IFTTT, Fitbit/Apple/Android Smart Watch, Etc.</li> <li>3 Stage RackMatic flexible Basket</li> <li>Glass Protection Technology • EcoSilence Drive</li> <li>DosageAssist • AquaSensor</li> <li>Automatic detergent detection</li> <li>Additional Top shower</li> <li>6 Programmes: Including Intensive Kadhai 70°C</li> <li>5 Wash options: Half Load, Extra Dry, IntensiveZone, SpeedPerfect+, Remote Start</li> <li>Inbuilt Water softener</li> <li>Additional cutlery drawer</li> <li>Programme &amp; options descriptive printing on the top of Dishwasher door</li> <li>Cup shelves • Time delay: 1-24 hrs.</li> <li>Downloadable Programme*</li> <li>Remote Diagnostic*</li> <li>Single water protection 24 hrs.</li> </ul>
Dimensions	• Dimensions (HxWxD): 84.5 x 60 x 60 cm



^Please note that this service is only available in English and for the appliances installed in cities - Mumbai, Delhi NCR, Bangalore, Kolkata, Hyderabad, Chennai, Ahmedabad, Pune and Jaipur.

Home Connect

# Free-standing Dishwashers

Home Connect



Model	SMS6HVI00I  14 Place settings   Freestanding Dishwasher   Silver Inox
Features	<ul> <li>Home Connect - IOT Enabled Remote Monitoring and Control</li> <li>Integration with: Google / Alexa voice assistance, IFTTT, Fitbit/Apple/Android Smart Watch, Etc.</li> <li>3 Stage RackMatic flexible Basket</li> <li>Glass Protection Technology • EcoSilence Drive</li> <li>DosageAssist • AquaSensor</li> <li>Automatic detergent detection</li> <li>Additional Top shower</li> <li>6 Programmes: Including Intensive Kadhai 70°C</li> <li>5 Wash options: Half Load, Extra Dry, IntensiveZone, SpeedPerfect+, Remote Start</li> <li>Inbuilt Water softener</li> <li>Additional cutlery drawer</li> <li>Programme &amp; options descriptive printing on the top of Dishwasher door</li> <li>Cup shelves • Time delay: 1-24 hrs.</li> <li>Downloadable Programme*</li> <li>Remote Diagnostic*</li> <li>Single water protection 24 hrs.</li> </ul>
Dimensions	• Dimensions (HxWxD): 84.5 x 60 x 60 cm



Model	SMS6ITI01I   SMS6ITI00I  13 Place settings   Freestanding Dishwasher   Silver Inox
Features	<ul> <li>Home Connect - IOT Enabled Remote Monitoring and Control</li> <li>Integration with: Google / Alexa voice assistance, IFTTT, Fitbit/Apple/Android Smart Watch, Etc.</li> <li>3 Stage RackMatic flexible Basket</li> <li>Glass Protection Technology • EcoSilence Drive</li> <li>DosageAssist • AquaSensor</li> <li>Automatic detergent detection • Additional Top shower</li> <li>New Wash Programme: Express Sparkle 65°C - Wash &amp; dry in 60 min.</li> <li>6 Programmes: Including Intensive Kadhai 70°C</li> <li>5 Wash options: Half Load, Extra Dry, IntensiveZone, Vario Eco, Remote Start</li> <li>Inbuilt Water softener • Cutlery Box - Moveable</li> <li>VarioFlex basket with Touch points</li> <li>Programme &amp; options descriptive printing on the top of Dishwasher door</li> <li>Cup shelves • Time delay: 1-24 hrs.</li> <li>Downloadable Programme*</li> <li>Remote Diagnostic*</li> <li>Single water protection 24 hrs.</li> </ul>
Dimensions	• Dimensions (HxWxD): 84.5 x 60 x 60 cm



Model	SMS6ITW00I  13 Place settings   Freestanding Dishwasher   White			
Features	<ul> <li>Home Connect - IOT Enabled Remote Monitoring and Control</li> <li>Integration with: Google / Alexa voice assistance, IFTTT, Fitbit/Apple/Android Smart Watch, Etc.</li> <li>3 Stage RackMatic flexible Basket</li> <li>Glass Protection Technology • EcoSilence Drive</li> <li>DosageAssist • AquaSensor</li> <li>Automatic detergent detection</li> <li>Additional Top shower</li> <li>New Wash Programme: Express Sparkle 65°C - Wash &amp; dry in 60 min.</li> <li>6 Programmes: Including Intensive Kadhai 70°C</li> <li>4 Wash options: Half Load, Extra Dry, Vario Eco, Remote Start</li> <li>Inbuilt Water softener • Cutlery Box - Moveable</li> <li>Programme &amp; options descriptive printing on the top of Dishwasher door</li> <li>Cup shelves • Time delay: 1-24 hrs.</li> <li>Downloadable Programme*</li> <li>Remote Diagnostic*</li> <li>Single water protection 24 hrs.</li> </ul>			
Dimensions	• Dimensions (HxWxD): 84.5 x 60 x 60 cm			



Model	SMS2ITW00I  13 Place settings   Freestanding Dishwasher   White
Features	<ul> <li>Home Connect - IOT Enabled Remote Monitoring and Control</li> <li>Integration with: Google / Alexa voice assistance, IFTTT, Fitbit/Apple/Android Smart Watch, Etc.</li> <li>Glass Protection Technology • EcoSilence Drive</li> <li>DosageAssist • AquaSensor</li> <li>Automatic detergent detection</li> <li>New wash options - Half Load</li> <li>5 Programmes: Auto 45-65°C, Custom programme, Economy, Normal Express, Pre-Rinse</li> <li>3 Wash options: Half Load, Vario Eco, Remote Start</li> <li>Inbuilt Water softener</li> <li>Cutlery Box - Fixed</li> <li>Programme &amp; options descriptive printing on the top of Dishwasher door</li> <li>Cup shelves • Time delay: 1-24 hrs.</li> <li>Downloadable Programme*</li> <li>Remote Diagnostic*</li> <li>Single water protection 24 hrs.</li> </ul>
Dimensions	• Dimensions (HxWxD): 84.5 x 60 x 60 cm



Home Connect

^Please note that this service is only available in English and for the appliances installed in cities - Mumbai, Delhi NCR, Bangalore, Kolkata, Hyderabad, Chennai, Ahmedabad, Pune and Jaipur.

\*Remote diagnostic & downloadable programmes will be available soon in India as well.

Home Connect

Home Connect

^Please note that this service is only available in English and for the appliances installed in cities - Mumbai, Delhi NCR, Bangalore, Kolkata, Hyderabad, Chennai, Ahmedabad, Pune and Jaipur.

# Free-standing Dishwashers



Model	SMS66GI01I  13 Place settings   Freestanding Dishwasher   Silver Inox
Features	<ul> <li>Speedier dishwashers that reduce up to 60% of wash cycle time</li> <li>Additional Top shower • Glass Protection Technology</li> <li>EcoSilence Drive • DosageAssist</li> <li>New wash option - HalfLoad</li> <li>AquaSensor</li> <li>Automatic detergent detection</li> <li>New wash programme - Express Sparkle 65°C - Wash &amp; dry in 60 min.</li> <li>6 Programmes: Including Intensive Kadhai 70°C</li> <li>3 Wash options: HalfLoad, ExtraDry, VarioEco</li> <li>Inbuilt Water softner</li> <li>Cutlery Box - Moveable</li> <li>Programme descriptive printing on the top of Dishwasher door</li> <li>Cup shelves</li> <li>Time delay: 1-24 hrs.</li> <li>Half load option for lesser utensils</li> <li>Single water protection 24 hrs.</li> </ul>
Dimensions	• Dimensions (HxWxD): 84.5 x 60 x 60 cm



Model	SMS66GW01I  13 Place settings   Freestanding Dishwasher   White
Features	<ul> <li>Speedier dishwashers that reduce up to 60% of wash cycle time</li> <li>Additional Top shower • Glass Protection Technology</li> <li>EcoSilence Drive • DosageAssist</li> <li>New wash option - HalfLoad</li> <li>AquaSensor</li> <li>Automatic detergent detection</li> <li>New wash programme - Express Sparkle 65°C - Wash &amp; dry in 60 min</li> <li>6 Programmes: Including Intensive Kadhai 70°C</li> <li>3 Wash options: HalfLoad, ExtraDry, VarioEco</li> <li>Inbuilt Water softner</li> <li>Cutlery Box - Moveable</li> <li>Programme descriptive printing on the top of Dishwasher door</li> <li>Cup shelves</li> <li>Time delay: 1-24 hrs.</li> <li>Half load option for lesser utensils</li> <li>Single water protection 24 hrs.</li> </ul>
Dimensions	• Dimensions (HxWxD): 84.5 x 60 x 60 cm


# Accessories

Sr No.	Accessory	Qty	Accessory Number	Compatible with
1	Ducting Kit	1	DHZ5468	DWB091K50, DWB098E51  DWK098G60I, DWK068G60I  DWK065G60I, DIB128G50I  DIB098G50I, DWB97FM50I  DWB97DM50I, DWB098G60I  DWB098G50I, DWB098D50I  DWB068G50I, DWB098D50I  DWB068D50I, DWB95BC50I  DWB65BC50I, DIG098G50I  DWH098D60I, DWG098D60I  DWG098D50I, DWH068D60I  DWG068D60I, DWG068D50I  DHI646CQI, DHU636CQI
2	Flue Duct Extension With Bracket (wall mounted)	1	DHZ5640	DWB098G50I DWB068G50I DWB098D50I DWB068D50I DWG098D50I DWG068D50I
3	Duct Extension Cover	1	DHZ5469	DWH098D60I DWH068D60I DWG098D60I DWG068D60I DWB098G60I DWB068G60I
4	Flue Duct Extension With Bracket (inclined)	1	DHZ5650	DWK098G60I DWK068G60I
5	Recirculating Kit - Wall Mounting Chimney	1	DHZ5467	DWB098G50I DWB068G50I DWB098D50I DWB068D50I DWG098D50I DWG068D50I DWB068G60I DWB068G60I DWH098D60I DWH068D60I DWG098D60I DWG068D60I
6	Recirculating Kit - Wall Mounting Chimney	1	DHZ5377	DWB95BC50I DWB65BC50I
7	Recirculating Kit - Inclined Chimney	1	DHZ5466	DWK098G60I DWK068G60I
8	Active Carbon Filter / Charcoal Filter	1	DHZ2701	DHU636CQI
9	Active Carbon Filter / Charcoal Filter	1	DHZ2900	DHI646CQI

Buy a ducting kit / recirculation kit along with the chimney based on type of installation.

# Service you can trust 100 percent.

Reliable, Expert, Fast: The Bosch Customer Service.





Experts repairs from our qualified engineers with genuine spare parts.



Added peace of mind with our extended warranty plans.



Bosch online store offers you the convenience to get your cleaning & care products, that will enhance the performance of your appliance.



Our Customer Call Center is available from Monday to Saturday 8am to 8pm at 1-800-266-1880 Closed on Sunday and Public Holidays.



Create MyBosch account to get product related information.



Bosch home appliances are produced with maximum care, in high quality materials. We promise this in our 2-years manufacturer's warranty on Hob, Chimney, Microwave, Oven & Dishwasher.



We ensure the availability of spare parts for 10 years.

Notes:		